



Ramdev Chemical Pvt. Ltd.

(wholly owned subsidiary of Ipca Laboratories Limited)

CIN: U24200MH1999PTC120863 GSTIN: 27AABCR5210R1Z3

www.ramdev.ipca.com

Date: 01/12/2022

To,

Additional principal Chief Conservator of Forest (Central)

Ministry of Environment, Forest and climate change

Regional Office (WCZ)

Ground Floor East wing,

New Secretarial building Civil Lines

Nagpur-440001

Sub- EC compliance Report Submission From 1st June 2022 to 30th Nov 2022.

Dear Sir,

This has reference to your EC Letter no.SEAC-2016/C.R.424/TC-1 Dated May 12, 2017, Environment Department, In this regard we are submitting the here with the status of compliance of the stipulated Environment clearance condition for the period of **1st June 2022 to 30th Nov 2022.**

Hope you will find the same in order.

Kindly acknowledge the same.

Thanking You,

Your Faithfully,

Ramdev Chemical Pvt. Ltd.

Mr. Manish Ujjainkar (Unit Head)

Encl: As Above,

Cc: The Member Secretary, MPCB Mumbai,

Cc: The Regional Officer MPCB Thane.

Cc: The Sub Regional Officer MPCB Tarapur.

RAMDEV CHEMICAL PVT LTD

EC GENERAL CONDITION COMPLIANCE

FOR THE PERIOD FROM June 2022 TO Nov 2022

SR. NO	CONDITION OF ENVIRONMENT CLEARENCE	STATUS OF COMPLIANCE	ATTACHEMENT
1	PP to achieve zero liquid discharge, PP shall ensure that there is no any increase in the effluent load to CETP.	We have a ZLD (Zero liquid discharge facility) and accordingly MIDC disconnected our effluent discharge line which is connected to CETP.	Annexure - I
02	73 TPH boiler should have stack height of 68 m and flue gases shall be passed through an ESP of 99.9 % efficiency before being led into the 68 m stack.	Since incipient stage , we only have 2 TPH boiler with stack height 30 Mtr. We also monitoring stack emission by MoEF approved laboratory quarterly. It appears that this condition is wrongly came in to our EC as we neither have this much capacity steam requirement not it is proposed .	Annexure - II
3	No additional land shall be used / acquired for any activity for the project without obtaining proper Permission.	We are not using the additional land without obtaining the permission from authority.	Annexure - III
4	PP to take almost precaution for the health and safety of the people working in the unit as also for protecting the environment.	We have separate EHS dept. and we take care of safety, health and environment of workers by providing all necessary engineering controls , PPE & Training.	Annexure - IV
5	Proper Housekeeping program shall be implemented.	As we are API manufacturing industry, and following cGMP guideline, housekeeping is the integral part of our daily activity, We maintaining the premises with neat & tidy all the time . Housekeeping SOP attached	Housekeeping Attached SOP
6	In the event of the failure of any pollution control system adopted by the unit , the unit shall immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.	We are following all the time and we have power backup of DG and adequate emergency storages .	
7	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (if Applicable)	Stack height of 2.5 Meter is provided as per the MPCB consent. Photograph attached.	Stack Photograph Attached
8	A detail scheme for rain water harvesting shall be prepared and implemented to recharged ground water.	Detailed scheme of rain water harvesting to collect rain water in storage tanks and recycle the same for plant utilities as per attachment .	Annexure - V
9	Arrangement shall be made that effluent and storm water does not get mixed.	We have separate drain system for effluent and storm water . We ensure that these water do not get mixed . photograph attached.	Attached photographs
10	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. results shall be regularly submitted to Maharashtra pollution control board.	In our quarterly environment monitoring, we completed the sampling in the month of June, results were submitted to MPCB. As per copy attached and this clearly indicates that there is no change in water quality due to our activities	
11	Noise level shall be maintained as per standards. for people working in the high noise area, requisite personal protective equipment like ear plug etc. shall be provided.	Noise level is maintained as per the standard, High noise area identified & PPE provided in that area. Noise survey report is attached along with PPE Matrix of high noise area . Operators are regularly training in order to ensure all the time usage of Ear Muff / Plugs .	Annexure - VI
12	The overall noise level in and around	We are using the acoustic enclosure, Silencers, Hoods	

	the plant are shall be kept well within in the standards by providing noise controls measures including acoustic hood, silencers enclosure etc. on all sources of noise generation. The ambient noise levels shall be confirm to the standards prescribed under environment protection act 1986 , rule 1989.	for noise generating equipment's. And also providing the PPE like ear plug and ear muff.	
13	Green belt shall be developed & maintained around the plant periphery .Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO / Agriculture Dept.	Green belt developed and maintained.	Attached Photograph
14	adequate safety measures shall be provided to limit the risk zone with in the plant boundary, in case of accident. leak detection devices shall also be installed at strategic places for early detection and warning.	We are taking the adequate safety measure in our plant like Inertisation Earthing bonding & leak detection to avoid the accidents. Further we are not using any such chemical which will leak and go beyond the boundaries of our factory .	
15	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per factories act.	We are conducting periodical medical checkup every six monthly.	Annexure - VII
16	The company shall make the arrangement for protection of possible fire hazard during manufacturing process in material handling.	WE handle are our chemicals in closed containers and transfer them in reaction vessels through closed pipeline and pumps . While handling them nitrogen inertization and earthing bounding is also ensure .	
17	The project authority must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the hazardous waste rules, 2003 amended. Authorization from MPCB shall be obtained for collections /treatment / storage / disposal of hazardous waste.	We follow Hazardous waste rule 2003 amended upto 2016 and related guideline Hazardous waste send to authorized recycler i.e. MWML / GEPIL / Cement Plants / Recyclers regularly. We have a valid membership of MWML and valid Hazardous Waste authorization	Annexure - VIII
18	Regular mock - drill for the on - site emergency management plan shall be carried out. implementation of changes / improvements required , if any , in the on site management plan shall be ensured.	We conducting regular mock - drill and report submit to DISH office.	Annexure - IX
19	A separate environment management cell with the qualified staff shall be set up for implementation of the stipulated environmental safeguards.	We have environment cell with Manager- EHS , Asst. Manager - ETP well developed ETP lab with qualified staff.	Organogram Attached
20	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure	We have a separate EHS budget for every year for environment protection measures and we are taking care that it is utilize properly & not diverted to any other purpose.	

	should reported to the MPCB & this department		
21	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in	Complied	
22	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.	Submitting.	
23	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent	Complied	
24	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We regularly monitoring the Environment with respect to National ambient quality standard, & submitting the report to MPCB.	Annexure - X
25	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Submitting.	
26	The environmental statement for each financial year ending 31st	We are submitting the Environment audit report in Form V to MPCB on line as well as hard copy	Annexure - XI

March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



Annexure - I

RAMDEV CHEMICAL PVT. LTD.

ISO 9001 : 2008 / 14001 : 2004 & OHSAS 18001 : 2007 Certified Co.
CIN No.: U24200MH1999PTC120863

Admn. Office :
E-5, 3rd Floor, Nemikrishna CHS., Jethwa Nagar,
V.J. Road, Kandivali (W), Mumbai - 400 067, INDIA
Telephone : 0091 - 22 - 4029 4545 / 2801 1757
Telefax : 0091 - 22 - 2801 1789
E-mail : ramdev_chem@vsnl.net
Website : www.ramdevchem.com

Date 27-04-2017

To,
The Deputy Engineer,
MIDC Drainage Sub-dn
Tarapur.

Sub:- Tarapur Indl. Area...
Plot no. E-41 & E-129,
Issue of drainage
disconnection letter.

Sir,

With reference to above it is to inform that, your office has disconnected our drainage line very long back. It is requested to issue a drainage disconnection letter to submit MPCB.

Thanking you,

yours faithfully

FOR. RAMDEV CHEMICAL PVT. LTD.

(Director)

sucessfully done
Date 27/04/2017
Liaison Clerk (Signature)
Smt. Smt. P.

MAHARASHTRA INDUSTRIAL DEVELOPMENT CORPORATION
(A Government of Maharashtra Undertaking)



No. /TB/TRP/B36664/2017/प्रयोग संकलन नम्बर १८
Office of the Executive Engineer
MIDC, Division No.1, Thane
Date:- 18.04.2017

To,
The Regional Officer,
MPCB, Thane
5th Floor, Office Complex Building,
Near Mulund Check Naka,
Wagle Estate, Thane-400 604.

Sub:- Tarapur Industrial Area... Direction u/s33A of the water
(Prevention & control of pollution) Act 1974...
Disconnection of ZLD.

Ref :- Your directives vide letter No. MPCB/ROT/DIR/31,
dtd. 06/01/2017.

Dear Sir,

As per letter under reference MPCB has issued direction to the undersigned u/s 33A of the water (Prevention & control of pollution) Act 1974. It was directed to disconnect sewage line connection of the industries (list annexed) to MIDC sewer and to ensure that discharge point of industrial waste shall be sealed permanently so that there shall not be discharge of waste from industries to MIDC sewer.

Accordingly, action of disconnecting industrial waste water to MIDC's sewer has been completed by MIDC. Status of such disconnection is enclosed herewith.

Therefore, it is hereby submitted that the directions issued vide letter under reference are implemented & complied by MIDC.

Thanking you.

Yours faithfully,

(M.S. Kalkutaki)
Executive Engineer,
MIDC, Division No.1, Thane.

D.A. : Status Report


1. Copy submitted to the Superintendent, P.C. BOARD, REGIONAL OFFICE, TARAPUR, DIST. TALUKA (M), MIDC, Mumbai-93 of favour of information please.
2. Copy to the Dy. Engineer, Drainage Sub-dn., Tarapur for information.
3. Copy to the Sub Regional Officer, MPCB, Tarapur for information.

Status of Drainage disconnection for ZLD

(As per MPCB Directives u/s 33 A vide letter no. MPCB / ROT / DIR / 31 Date 6th January 2017)

Sr. No.	Name of the consumer	Plot No.	Remarks
1	M/s. Zakaria Fabrics Pvt. Ltd.	A-13	Disconnected
2	M/s. JSW Steel Ltd	B-6	No Connection
3	M/s. JSW Steel Ltd	B-7/1	No Connection
4	M/s. Indrox Global Pvt. Ltd.	B-11	Disconnected & Sealed
5	M/s. Mandhana Industries Pvt. Ltd.	C-3	No Connection
6	M/s. Nirvana Silk Mills Pvt. Ltd.	D-6	Disconnected & Sealed
7	M/s. Vivid Global Industries	D-21/1	Disconnected & Sealed
8	M/s. Loba Chemie Pvt. Ltd.	D-22	No Connection
9	M/s. VAP Industries	E-7/4	No Connection
10	M/s. Ramdev Chemicals Pvt. Ltd.	E-41	Disconnected & Sealed
11	M/s. Spectrochem Pvt. Ltd.	E-96, E-97	No Connection
12	M/s. Siyaram Silk Mills Ltd.	E-125	Disconnected & Sealed
13	M/s. Sirmaxo Chemicals Pvt. Ltd.	E-130	No connected
14	M/s. Viraj Profiles Ltd.	G-1/2	Disconnected
15	M/s. Viraj Profiles Ltd.	G-1/4	Disconnected
16	M/s. Manan Cotsyn Pvt. Ltd.	G-4/2	No Connection
17	M/s. Darshan Fine Fab Pvt. Ltd.	G-8/1	No Connection
18	M/s. Samaudra Phramacare Pvt. Ltd.	G-16/1,2,3	Disconnected & Sealed
19	M/s. Sunway Fashions Pvt. Ltd.	G-21	Disconnected & Sealed
20	M/s. Bombay Rayon Fashion Ltd.	G-95	No Connection
21	M/s. Sifer Car Care	J-40	Disconnected & Sealed
22	M/s. D. R. Coats Ink & Resin Pvt. Ltd.	J-51	Disconnected & Sealed
23	M/s. Shree Rajendra Engineering Work	J-139	Disconnected & Sealed
24	M/s. Satguru Steelwool (I) Pvt. Ltd.	J-139/1	Disconnected & Sealed
25	M/s. STS Automobiles	J-185, 186	Disconnected & Sealed

26	M/s. Spectra Motors	J-240	Disconnected & Sealed
27	M/s. Gunjan Chemicals Industries Pvt. Ltd.	K-48	Disconnected & Sealed
28	M/s. Genail Chemie	L-59	No Connection
29	M/s. Nushush Textile Industries	N-17	Disconnected & Sealed
30	M/s. Unitec Inc	N-30	Disconnected & Sealed
31	M/s. First Winner	N-66	Disconnected & Sealed
32	M/s. Ciron Drugs & Pharmaceuticals Pvt. Ltd.	N-118/1	Under Construction. Production not started. Connection not provided.
33	M/s. Pearl Farben Chem Pvt. Ltd.	N-167	Disconnected & Sealed
34	M/s. McCoy Pharma Pvt. Ltd.	S-8	No Connection Under Construction
35	M/s. NGIL Fine Chem Ltd.	S-18/3	No Connection
36	M/s. Arham Chemical Co.	S-29	No Connection
37	M/s. Aarti drugs Ltd.	S-33, 34	No Connection
38	M/s. Nutraphuse India Ltd.	T-30	No Connection
39	M/s. Surya Chemicals Industries	T-41	Disconnected & Sealed
40	M/s. Jaron Cosmetique Pvt. Ltd.	T-48	No Connection
41	M/s. shubham Inks & Chemicals Pvt. Ltd.	T-51	No Connection
42	M/s. Seitech Center	W-2	Disconnected & Sealed
43	M/s. Trupti Pharma Chem Pvt. Ltd.	W-11	Disconnected & Sealed
44	M/s. Balaji Engineering	W-38/B	Disconnected & Sealed
45	M/s. Petrogate Metal Products Pvt. Ltd.	W-55/D	Disconnected & Sealed
46	M/s. S. R. Steel Engineering	W-80/A	Disconnected & Sealed
47	M/s. Arhant Chemical Company	W-167	No Connection
48	M/s. S. K. Industries	W-187	Disconnected & Sealed
49	M/s. Indaco Jeans Pvt. Ltd.	G-21	Same Company under Sr. no. 19


 Deputy Engineer
 MIDC Drainage Sub Division
 Tarapur

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. 0240-6641879 9970429991/ 7745069991
 Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/067-7.8

SOURCE (STACK) EMISSION MONITORING REPORT

Client's Name & Address		Report ID.	EEL/ABD/S-218/09/2022-23
M/s. RAMDEV CHEMICALS PVT.LTD.PLOT NO. E-41,128/2 & 129 MIDC TARAPUR Tal and Dist:- PALGHAR.		Date of Reporting	06/10/2022
SAMPLING DETAILS			
01) Location of Sampling	Boiler (2 Ton/Hrs) S-15		
02) Sampling Procedure	IS 11255		
03) Sample Volume	TPM/SPM: Thimble: 1×1 no. SO ₂ : 30 ml ×1 no. (Plastic Bottle) NO _x : 30 ml ×1 no. (Plastic Bottle)		
04) Sample Status (Sealed/Unsealed)	Sealed		
05) Sample Collected By	M/s. Excellent Enviro Laboratory & Research Center Pvt.Ltd.		
06) Date of Sampling	27/09/2022		
07) Time of Sampling & Sampling Duration	From 08:00 AM to 09:00AM (1 hr)		
08) Date of Received in Lab	29/09/2022		
09) Analysis Start Date	29/09/2022		
10) Material of Stack	MS		
11) Stack Height from G.L.	30.0 meter		
12) Type of Stack	Round		
13) Flue Gas Temperature	415 K		
14) Differential Pressure	3.6mmWC		
15) Velocity	7.3 m/sec		
16) Dimensions of Stack	0.45 meter		
17) Stack Area	0.15896 m ²		
18) Gas Volume	2999.72 Nm ³ /hr		
19) Fuel Used	Coal		
20) Instrument Details	Make/ Model No.	AshaEnviro&350	
	Serial No.	EELRC/EQ/SK/55	
	Calibration Date	Calibration on:20/06/2022, DueOn:19/06/2023	

RESULT

Sr. No	Parameter	UOM	Results	Limits as Per MPCB Consent	Standard Method
1	TPM / SPM	mg/Nm ³	34.2	≤150	IS 11255(Part 1):1985
2	Sulphur Dioxide(SO ₂)	kg/day	2.0	≤20.16	IS 11255(Part 2):1985
3	Oxides Of Nitrogen(NO _x)	mg/Nm ³	21.8	-	IS 11255 (Part 7):2005

UOM:-Unit of Measurement.

Remark TPM / SPM& Sulphur Dioxide (SO₂) Parameter results are within MPCB Limits.

Reviewed By


 (Mr. Prashant Patil)
 (Asst. Technical Manager)

Authorized Signatory


 (Ms. Dharmashila Narwade)
 (Dy. Technical Manager)

*****End of Report*****

Note - "The results pertain to tested portion of sample"

Page 1 of 1

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,
 Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op, Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 086526719
 Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 09767831
 Email : punesales@excellentenviro.com

MAHARASHTRA INDUSTRIAL DEVELOPMENT CORPORATION

(A Government of Maharashtra Undertaking)

Tel : 5820703
Fax : 5821886

Regional Office, Thane
MIDC, Thane Region,
Office Complex Building, 1st Floor
Near Wagle Estate, Octroi Naka,
THANE 400604

No. : MIDC/ROT/TRP//E-41/ *SXO*

Date : 11 FEB 2000

Sub: Plot No. E-41 in TARAPUR INDUSTRIAL AREA
Request for grant of consent for transfer of

Read : Letter dated 15/12/1999 from
M/S, Monopol Chemicals Private Limited

: ORDER :

Lease Dated : 02/02/1988

Lessee : M/S, Monopol Chemicals Private Limited

Transferee Order Dated :

Transferor . M/S, Monopol Chemicals Private Limited

Transferee : M/S, Ramdev Chemical Private Limited.

By a above noted Lease executed by the Maharashtra Industrial Development Corporation in favour of the Lessee/s the Corporation in consideration of the stipulations and conditions on the part of the Lessee (s) therein contained, agreed to grant in favour of the Lessee (s) a Lease of above plot of land and the building and correction erected thereon in the manner specified in the said Lease. The Lessee (s) in pursuance of Sub-clause (u) of Clause 2 of the said Lease represented to the Corporation for grant to him/their/it of consent for transfer and assignment of his /their/its of consent for transfer and assignment of his/their/its interest under or the benefit of the said Lease in favour of **M/S, Ramdev Chemical Private Limited.** (hereinafter called "the transferee/s") The Corporation has after due consideration of the said request of the Lessee/s decided to grant its consent to the transfer and assignments of his/their/its interest under the said Agreement subject to the following conditions :-

- (a) The consent hereby granted is subject to the payment to the Corporation by the Lessee/s of the sum of **Rs. 2,93,625/-** as and by way of **DIFFERENTIAL PREMIUM** paid on **08/02/2000**.

CDAC

- (b) The Lessee/s shall deliver at the Lessee's expense a copy of the Deed of Assignment to the Corporation as provided in sub-clause (v) of clause 2 of the said Lease and such copy shall be furnished in duplicate.
- (c) The consent is restricted to the transfer and assignment of the said Lease in favour of the transferee/s alone and in case the transferee/s propose/s to make any further transfer of assignment or parting wholly or partially with the possession of the plot of land or any part thereof the transferee/s will have to makea fresh application for consent.
- (d) The transferee M/S, Ramdev Chemical Private Limited has given in writing vide letter dated 31/01/2000 that they are going to construct their own ETP (Effluent Treatment Plant) to treat 2.5 cubic meter effluent per day generated by them during Chemical Processing,

✓
Area Manager
MIDC, THANE

To,

M/S, MONOPOL CHEMICALS PVT.LTD.
405, RAHEJA CHAMBERS
NARIMAN POINT
MUMBAI - 400021.

Copy To,

M/S, Ramdev Chemical Private Limited.
801/Smruti Tower, Patel Nagar, M.G. Road,
Cross Road, No. 4, Kandivli (West), Mumbai - 400064.

Copy with compliments to :

1. The General Manager (Legal) MIDC. Andheri (East), Mumbai -400093.
2. The Dy. Chief Accounts Officer,MIDC.Andheri (East), Mumbai -400093.
3. The Executive Engineer, MIDC. MIDC, Division No. 1, Thane.

Copy with f.w.cs. to :

1. The Dy Engineer (SPA). MIDC, Tarapur Sub-division, Dist.-Thane.

CDAC

Anon eX4 rcc - SV

Annexure-I
PPE Matrix

Sr No	Department	Helmet	Face shields	Safety Glasses/ Spectacles	Safety Goggles	Earnuffs	Ear plugs	Hand Gloves (Acid and Alkali Resistance)	Hand Gloves (Surgical)	Hand Gloves (Neoprene)	Hand Gloves (Nitrile)	Heat/Cold Resistant Gloves	Cut Resistant Gloves	33 KV Electrical Gloves	Nose Masks
A	WAREHOUSE / STORE														
B	PRODUCTION														
C	ENGINEERING														
D	QUALITY CONTROL														
E	QUALITY ASSURANCE														
F	PROCESS DEVELOPMENT														
G	LAB														
H	HUMAN RESOURCE & ADMIN														
I	EHS														
	ETP														

Sr No	Department	Nose Masks (Full Face Masks)	Face Masks (Full Face Masks)	Nose Mask (Half face Masks)	Powered Air Purifying Respirator	Self Contained Breathing Apparatus (SCBA)	Apron – Chemical resistant	Suits – Chemical resistant	AIR hood with airline connection with filter	Suits – Chemical resistant with airline supply provision	Fire proximity suits	Gum shoes	Safety shoes	Full body harness
A	WAREHOUSE / STORE													
B	PRODUCTION													
C	ENGINEERING													
D	QUALITY CONTROL													
E	QUALITY ASSURANCE													
F	PROCESS DEVELOPMENT													
G	LAB													
H	HUMAN RESOURCE & ADMIN													
I	ETP													

NOTE - 1) THIS PPE MATRIX IS APPLICABLE FOR WORKING AREA.
2) FOR OFFICE AREA THIS PPE MATRIX IS NOT APPLICABLE EXCEPT SAFETY SHOES

RAMDEV CHEMICAL PVT.LTD.
Standard Operating Procedure

MASTER COPY

HOUSE KEEPING
RAMDEV CHEMICAL PVT. LTD.

Title: STANDARD OPERATING PROCEDURE FOR GENERAL AREA HOUSE KEEPING

SOP No. : RCPL/HR/9001-01	Version No. 01	Supersedes version No. RCPL/HR/9001-00	Page No. : Page 1 of 3		
Effective Date: 02.04.2016	<i>Bmote 28/03/16</i>	Checked by Authorized Person <i>Rajesh 29/03/16</i>	Approved By <i>Rajesh 29/03/16</i>		
Review Date : 01.04.2018	Written By Sign./Date	User Department Sign./Date	QA Dept. Sign./Date	User Dept. Head Sign./Date	QA Head Sign./Date

Location:HR Department					
Subsequent Review (Only to be used if there are no modifications at review.)	Checked By Authorized person		Approved By		Next Review Date :
	User Department Sign./Date	QA Dept. Sign./Date	User Dept. Head Sign./Date	QA Head Sign./Date	
Distribution Copies:	1. Quality Assurance Department.		2. HR Department		
	3. All concern Department				

1. PURPOSE

The purpose of this SOP is to describe the General housekeeping procedure and schedule of cleaning in common areas of Ramdev Chemical Pvt.Ltd.

2. SCOPE

This SOP is applicable to cleaning procedure of all path ways inside the factory, all stair case, Administrative, MD Office & Conference at Ramdev Chemical Pvt. Ltd.

3. REFERENCES & ATTACHMENTS

3.1 References

Nil

3.2 Attachments

Annexure-I: Daily House Keeping Record(RCPL/HR/9001/F-01)

Annexure-II: Weekly Cleaning Record(RCPL/HR/9001/F-02)

4. RESPONSIBILITIES

Personnel & Admin Officer, Concern Department Officer/HR Officer

5. DEFINITION & TERMS

SOP: Standard Operating Procedure

HR : Human Resource

UNCONTROLLED COPY

RAMDEV CHEMICAL PVT. LTD.

RAMDEV CHEMICAL PVT.LTD.
Standard Operating Procedure

Title: STANDARD OPERATING PROCEDURE FOR GENERAL AREA HOUSE KEEPING

SOP No. : RCPL/HR/9001-01	Version No. 01	Supersedes version No. RCPL/HR/9001-00	MASTER COPY HOUSE KEEPING RAMDEV CHEMICAL PVT. LTD. Page No. : Page 2 of 3		
Effective Date: 02.04.2016	<i>3 more 28/03/16</i>	Checked by Authorized Person <i>RSP/ATY 28/03/16</i>	Approved By <i>RAJ/ABHIN 28/03/16</i>		
Review Date : 01.04.2018	Written By Sign./Date	User Department Sign./Date	QA Dept. Sign./Date	User Dept. Head Sign./Date	QA Head Sign./Date

6. PROCEDURE :

6.1 House Keeping Tools & cleaning agents :

Hard Brooms, Soft Brooms, Plastic Brush, Wiper, Cloth Duster, Mop, Phenyl (Disinfectant)
Detergent powder, Colin (Glass cleaner).

6.2 Departments to be cleaned:

- 6.2.1. Administrative Offices.
- 6.2.2. MD Office & Conference.
- 6.2.3. All stair cases.
- 6.2.4. All path ways inside the factory.

6.3 Frequency:

- 6.3.1 Wet cloth mopping of floors - daily
- 6.3.2 Dusting of Computers and table tops-Daily
- 6.3.3 Cleaning of windows sills and glass panes - weekly
- 6.3.4 Doors rolling shutters - weekly
- 6.3.5 Cleaning for removing cobwebs from walls and corners - weekly
- 6.3.6 Tabletop, drawers & cupboards- weekly
- 6.3.7 Lights and fixtures - weekly

6.4 Cleaning Procedure:

- 6.4.1 Administrative Offices, stair cases, canteen and Security Cabins:
- 6.4.2 Sweep the floor with soft broom.
- 6.4.3 Collect dust and waste in the Dustbins.
- 6.4.4 Mop the floors with wet mop.
- 6.4.5 Change water in-between the mopping process.
- 6.4.6 Clean the equipment, and keep those at specified place.
- 6.4.7 Empty the Waste Bins at the specified place.
- 6.4.8 Sweep the path ways with soft broom.
- 6.4.9 Record the work done.

6.5 Any area on getting vacated due to exhausting the stock on any occasion will also be cleaned suitably.

6.6 Daily cleaning record should be maintained as per Annexure-I(RCPL/HR/9001/F-01)and Monthly cleaning record should be maintained as per Annexure-II(RCPL/HR/9001/F-02)

UNCONTROLLED COPY

RAMDEV CHEMICAL PVT. LTD.

RAMDEV CHEMICAL PVT.LTD.
Standard Operating Procedure

Title: STANDARD OPERATING PROCEDURE FOR GENERAL AREA HOUSE KEEPING

MASTER COPY

RAMDEV CHEMICAL PVT. LTD.

Page No.:

Page 3 of 3

SOP No. : RCPL/HR/9001-01	Version No. 01	Supersedes version No. RCPL/HR/9001-00			
Effective Date: 02.04.2016	<i>B more 28/03/16</i>	Checked by Authorized Person <i>Rs Pathak 25/03/16</i>	Approved By <i>J. S. Patel 27/03/16</i>		
Review Date : 01.04.2018	Written By Sign./Date	User Department Sign./Date	QA Dept. Sign./Date	User Dept. Head Sign./Date	QA Head Sign./Date

7. Revision History:

Version 00	Effective Date: 01.04.2015
1. Transfer SOP from QA dept to HR dept.	
Version 01	Effective Date: 02.04.2016
1. SOP change as per requirement	

UNCONTROLLED COPY

RAMDEV CHEMICAL PVT. LTD.



RAMDEV CHEMICAL PVT.LTD.
Human Resource Department

Format No: RCPI/HR/9001/F-01

MASTER COPY

RAMDEV CHEMICAL PVT. LTD.

Annexure-I
Daily Cleaning Record

Department:

Month and Year _____			
Date	Time	Cleaned By	Checked By
01			
02			
03			
04			
05			
06			
07			
08			
09			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			

Month and Year _____			
Date	Time	Cleaned By	Checked By
01			
02			
03			
04			
05			
06			
07			
08			
09			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			

UNCONTROLLED COPY

Page 1 of 1

SOP No.: RCPI/HR/9001

RAMDEV CHEMICAL PVT. LTD.

RAMDEV CHEMICAL PVT.LTD
Human Resource Department

Format No: RCPL/HR/9001/R-02

Annexure-II
Weekly Cleaning Record

DEPARTMENT:

MONTH :

Date	Frequency	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
		Admin Area & MD Office																															
a) Cleaning walls, glass panes & window sills	Weekly																																
b) Doors rolling shutters	Weekly																																
c) Tabletop, drawers & cupboards	Weekly																																
d) Lights and fixtures	Weekly																																
Done by																																	
Checked by																																	
2)Conference																																	
a) Lights and fixtures	Weekly																																
b) Cleaning walls, ceilings and window sills	Weekly																																
Done by																																	
Checked by																																	

SOP No.: RCPL/HR/9001

Page 1 of 1



MASTER COPY

RAMDEV CHEMICAL PVT.LTD



Annexure - V

RAMDEV CHEMICAL PVT. LTD.

PLOT NO E-41/129/128 MIDC TARAPUR

RAIN WATER HARVESTING SCHEME

Rainwater harvesting (RWH) is the collection and storage of rain, rather than allowing it to run off. Rainwater is collected from a roof-like surface and redirected to a tank, deep pit (well, shaft, or borehole) a reservoir with percolation. The harvested water can also be committed to longer-term storage or recharge of ground water.

We have a following scheme for rain water harvesting,

Roof Top No 1 - The admin building , which is having the catchment area about 700 square meter & average rain fall in this area is 150 -200 mm , so total water collected from this roof top is 105000 L.

Roof Top No. 2- The ware house building , which is having the catchment area 300 square meter & average rain fall in this area is 150 -200 mm , so total water collected from this roof top is 45000 L.

Roof Top No. 3 - The plant A, B & C building , which is having the catchment area about 300 square meter & average rain fall in this area is 150 -200 mm , so total water collected from this roof top is 45000 L.

Roof top No. 4- The MEE & Hydrogenation plant building , which is having the catchment area 100 square meter & average rain fall in this area is 150 -200 mm , so total water collected from this roof top is 15000 L.

The total water collected from roof top is stored at underground storage tank of capacity is 100000 L

All collected water passing through the sand filter & reuse for cooling tower & Boiler after treatment.





Excellent Enviro Laboratory & Research Center Pvt. Ltd

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. 0240-6641879 / 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/074-7.8

WORKPLACE NOISE MONITORING REPORT

Client's Name & Address	Report ID.	EEL/ABD/N-232 to N- 236/09/2022-23
M/s.RAMDEV CHEMICALS PVT.LTD.PLOT NO. E-41,128/2 & 129 MIDC TARAPUR Tal and Dist:- PALGHAR.	Date of Reporting	06/10/2022

SAMPLING DETAILS

01) Location of Sampling	As Listed Below in the Table.	
02) Sampling Procedure	IS 4758	
03) Sample Collected By	M/s. Excellent Enviro Laboratory & Research Center Pvt.Ltd.	
04) Date of Sampling	27/09/2022	
05) Time of Sampling	10:18 AM to 18:18 PM (24 hrs)	
06) Instrument Details	Make /Model No.	KUSAM-MECO/KM928MK1
	Serial No	EELRC/EQ/AFD/56
	Calibration Date	Calibration On: 23/06/2022 Due On: 24/06/2023

RESULTS

Sr. No.	Test Location	I.D. No.	UOM	Average Noise Level Readings	Limit as per Maharashtra Factories Rules, 1963.
1	Plant- C	N-232	dB(A)	64.9	85 dB(A)
2	Plant- A	N-233	dB(A)	72.6	
3	Plant- B	N-234	dB(A)	70.8	
4	Plant- D	N-235	dB(A)	66.9	
5	Plant- G	N-236	dB(A)	70.8	

UOM – Unit of Measurement

Remark: Noise level is within normal limits as per Maharashtra Factories Rules, 1963.

Reviewed By


 (Mr. Prashant Patil)
 (Asst. Technical Manager)

Authorized Signatory


 (Ms. Dharmashila Narwade)
 (Dy. Technical Manager)

*****End of Report*****



Page 1 of 1

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,

Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2022)

MUMBAI OFFICE : Dhawalgiri Co-op, Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 0865
Email : mumbaисales@excellentenviro.comPUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 091
Email : punesales@excellentenviro.com



Name of certifying Surgeon
Dr. Utam R. Babar

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

FORM NO. 7
{Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:	
To:	

Sr No	Works	Name of Worker	Sex	Age	Date of employment of present work	Date of leaving or Transfer to other work	Reason for leaving /Transfer discharge	Nature of job or occupation	Raw Material or Byproduct handed	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination	If suspended from work state of suspended with detailed reasons	Rectified fit to resume duty or with signature of Certifying Surgeon	If certificate of un fitness or suspension issued to worker	Signature With Date of Certifying Surgeon	
1	2	3	4	5	6	7	8	9	10	11-03-2022	11	12	13	14	15
1	019	MR. SWAPNIL R. NAPHADE	M	33	2014	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
2	044	MR. HARIDAS LAHANE	M	24	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
3	127	MR. GULABCHANDRA	M	42	2016	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.		
4	116	MR. ASHOK PAWAR	M	51	2014	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.		
5	006	MS. SHWETA Y. KUDU	F	37	2007	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
6	062	MR. NAVNEET SINGH	M	29	2020	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
7	004	MR. DIPESH PATIL	M	46	2005	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
8	131	MR. VIKASKUMAR SINGH	M	27	2016	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.		
9	043	MR. RAVINDRA PATIL	M	30	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
10	136	MR. AMRESH L. TWARI	M	46	2017	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.		
11	191	MR. SANDIP BORHADE	M	32	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
12	085	MR. MOHAN THAPA	M	43	2004	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.		
13	065	MR. ABHIShek SINGH	M	25	2020	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
14	041	MR. NIKHIL BARSAGADE	M	27	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
15	050	MS. NEHA PATIL	F	25	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
16	026	MS. SONALI CHAVAN	F	29	2016	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
17	022	MS. AMRITA RAUT	F	36	2015	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
18	005	MS. PRITEE AKRE	F	37	2006	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
19	040	MR. ANIL JAGADALE	M	28	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
20	069	MS. PRIYANKA AHLAE	F	26	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		

SO. = Sodium Saccharin
CA. =Caustic soda

कारबोनें अप्पिलियन २५८ रोड इन्डस्ट्रीज १०३ पुणे
अलंकर विल्हेमिना जीविकान प्राथमिक संस्थानीय संस्थान

Name of certifying Surgeon	Dr. Uttam R.Babar
----------------------------	-------------------

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

FORM NO. 7
{Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:	
To:	

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sr No	Works No.	Name of Worker	Sex	Age	Date of employment of present work	Date of Leaving or Transfer to other work	Reason for leaving /Transfer discharge	Nature of job or occupation	Raw Material or Byproduct handled	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination	If suspended from work state period of suspension with detailed reasons	Rectified fit to resume duty on with signature of Certifying Surgeon	If certificate of un fitness or suspension issued to worker	Signature of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11-03-2022	12	13	14	15
21	150	MS. IRIN M. KORDE	F	26	2022	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
22	020	MR. DIXIT DHAMELIA	M	28	2014	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
23	021	MR. SANDIP LAKKAD	M	31	2014	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
24	014	MR. PRASHANT VANIMALI	M	38	2010	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
25	166	MR. PAVAN KADAM	M	24	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
26	198	MR. SIKANDAR GUPTA	M	24	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
27	053	MR. SURAJ KUMAR MISHRA	M	29	2020	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
28	052	MR. PRAVEENKUMAR VISHWAKARMA	M	34	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
29	091	MR. RAMADHIN RAJBANSHI	M	52	2004	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
30	012	MR. SHAILESH SONI	M	55	2010	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
31	138	MR. DIPAK B. PATIL	M	38	2018	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
32	278	MR. VIRAJ S. MHATRE	M	21	2021	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
33	279	MR. ROHIT R. MORE	M	22	2021	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
34	017	MR. RAMESH RATHOD	M	48	2013	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
35	095	MR. ANIL V. TAMORE	M	52	2010	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
36	011	MR. SANDEEP K. SINGH	M	37	2010	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
37	158	MR. RAHUL NAIK	M	30	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
38	168	MR. CHANDRAKANT DEVAKAR	M	28	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
39	130	MR. GOLU SHARMA	M	23	2016	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
40	223	MR. RANJEET PATEL	M	30	2019	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	

SO. = Sodium Saccharin

CA. =Caustic soda

જોરાખાને અપીલિયા ૧૯૮૮ ચાલ કલમ ૧૦(૨) પ્રાણે
પાસથી તિલાખાંડીની માર્ગિનું જાળવાનું જરૂરી હશે

Name of certifying Surgeon	
Dr. Uttam R. Babar	

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

FORM NO. 7
{Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:	
To:	

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sr No.	Works	Name of Worker	Sex	Age	Date of employment of present work	Date of leaving or Transfer to other work	Reason for leaving /Transfer discharge	Nature of job or Occupation	Raw Material or Byproduct handed	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination 11-03-2022	If suspended from work state period of suspension with detailed reasons	Recertified fit to resume duty or with signature of Certifying Surgeon	If certificate of un fitness or suspension issued to worker	Signature of certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
41	132	MR. KAILASH SAROJ	M	36	2017	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
42	241	MR. SIJOR MOURYA	M	32	2020	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
43	242	MR. ROSHAN SINGH	M	28	2021	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
44	125	MR. AMIT R. RAJPUT	M	41	2015	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
45	280	MR. SHYAMLAL BUNKAR	M	22	2021	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
46	048	MR. AJAY YADAV	M	27	2017	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
47	224	MR. ASHOK BACCHAV	M	43	2020	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
48	128	MR. KALLUM. SAROJ	M	50	2016	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
49	047	MR. SAMEER PANDEY	M	48	2007	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
50	144	MR. NIKHIL GANGURDE	M	38	2021	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
51	072	MR. SHIVDAS RAM N. SHARMA	M	48	2000	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
52	137	MR. RAMDAS V. TAMORE	M	53	2018	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
53	066	MR. SANTOSH SANKHE	M	53	2021	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
54	102	MR. ASHOK KUMAR TIWARI	M	53	2010	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
55	008	MS. LAXMI R. CHAUHAN	F	37	2009	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
56	10	MS. KAMINI MORE	F	43	2009	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
57	207	MR. MAHESH S. PATIL	M	23	2021	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
58	081	MR. PANDHARI YADAV	M	42	2002	N.A.	N.A.	Supervisor	Nil	Fit		No	N.A.	N.A.
59	234	MR. DIPESH AREKAR	M	28	2016	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
60	254	MR. NANDU SAW	M	45	2020	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.

SO. = Sodium Saccharin
 CA.=Caustic soda

करताने अधिकारीय १९८८ द्वा करना १७५) प्रकार
 जनपद दिव्यांगजनीत गविनेट समाज विकास मंड़िल

३. AG 35 प्र०/०/०६

Name of certifying Surgeon
Dr. Uttam R. Babar

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

FORM NO. 7
{Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:	
To:	

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sr No	Works	Name of Worker	Sex	Age	Date of employment of present work	Date of Leaving or Transfer to other work	Reason for leaving / discharge	Nature of job or occupation handled	Raw Material or Byproduct handled	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination	If suspended from work state period of suspension with detailed reasons	Rectified fit to resume duty on written signature of Certifying Surgeon	If certificate of unfitness or suspension issued to worker	Signature With Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11-03-2022	12	13	14	15
61	269	MR. PREM SHANKAR	M	27	2022	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
62	103	MR. GANESH L. RAVTYA	M	35	2010	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
63	124	MR. DEEPAK SINGH	M	32	2015	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
64	078	MR. VRAJ RAUT	M	38	2001	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
65	059	MR. HARDIK RAUT	M	28	2020	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
66	099	MR. UMAKANT YADAV	M	33	2010	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
67	154	MR. SACHIN LUGADE	M	32	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
68	188	MR. MANOJ GOLE	M	28	2021	N.A.	N.A.	Security	Nil	Fit	No	N.A.	N.A.	
69	007	MR. ASHISH SINGH	M	37	2007	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
70	192	MR. VIPUL YADAV	M	22	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
71	018	MS. BHAVIKA CHURI	F	29	2013	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
72	106	MR. SANTOSH PAGDHARE	M	45	2013	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
73	135	MR. SHAILESH YADAV	M	23	2018	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
74	013	MR. LALJI R. YADAV	M	52	2010	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
75	237	MR. AKSHAY V. DHAWANE	M	28	2019	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
76	111	MR. JAGDISH SINGH	M	35	2013	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
77	126	MR. RAMMILAN R. GUPTA	M	45	2015	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
78	165	MR. CHANDRAKANT MHADASE	M	24	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
79	239	MR. PRAKASH MAHAPATRA	M	29	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
80	120	MR. INDRAJIT YADAV	M	38	2014	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	

SO. = Sodium Saccharin
CA.=Caustic soda

जारी करने अधिकारी द्वारा दिलाई गई जांच का नंबर (प्रति) प्राप्त होने वाली संस्था का नाम लिखें।

क्र. अंक 35 बाटों 6

Name of certifying Surgeon	Dr. Uttam R. Babar
----------------------------	--------------------

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR'

From:	
To:	

{Prescribed under Rule 18 (7)}
HEALTH REGISTER

Sr No	Work s.No.	Name of Worker	Sex	Age	Date of employment of present work	Date of leaving or Transfer to other work	Reason for leaving /Transfer discharge	Name of job or Occupation handled	Raw Material or Byproduct handled	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination	If suspected from work state period of suspension with detailed reasons	Rectified Fit to resume duty on with signature of Certifying Surgeon	If certificate of un fitness or suspension issued to worker	Signature With Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
81	145	MR. NIHAL BORE	M	27	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
82	162	MR. KAUSTUBH NAIK	M	31	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
83	186	MR. SUNILKUMAR YADAV	M	36	2019	N.A.	N.A.	Security	Nil	Fit	No	N.A.	N.A.	
84	177	MR. SACHIN J. PARDESHI	M	37	2020	N.A.	N.A.	Security	Nil	Fit	No	N.A.	N.A.	
85	184	MR. PRAKASH THAPA	M	28	2021	N.A.	N.A.	Security	Nil	Fit	No	N.A.	N.A.	
86	170	MR. AMIT KUMAR	M	26	2022	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
87	046	MR. HOTHAV V. MURTHY	M	39	2020	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
88	205	MR. SHYAM A. PAL	M	25	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
89	169	MR. TANMAY SANKHE	M	25	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
90	054	MR. SANJAY JADHAV	M	36	2020	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
91	088	MR. OMPRAKSH SHARMA	M	42	2004	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
92	112	MR. RAMDULAR YADAV	M	51	2014	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
93	182	MR. BHARAT VANGA	M	25	2021	N.A.	N.A.	Security	Nil	Fit	No	N.A.	N.A.	
94	240	MR. KANTHA PRASAD	M	38	2019	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
95	176	MR. VIJAY BAHDUR YADAV	M	34	2019	N.A.	N.A.	Security	Nil	Fit	No	N.A.	N.A.	
96	226	MR. ANILKUMAR YADAV	M	28	2022	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
97	089	MR. BHUPENDRA PRAJAPATI	M	48	2004	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
98	027	MR. PRATHAMESH RANE	M	27	2017	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
99	038	MR. SRIKANT SHUKLA	M	31	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
100	274	MR. SHRIKRISHAN MAURYA	M	27	2021	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	

SO. = Sodium Saccharin
N.A. = Caustic soda

Name of certifying Surgeon
Dr. Uttam R. Babar

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

FORM NO. 7
HEALTH REGISTER

From:	
To:	

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sr No	Work s No.	Name of Worker	Sex	Age	Date of employment of present work	Date of Leaving or Transfer to other work	Reason for leaving / Transfer discharge	Nature of job or Occupation handed	Raw Material or Byproduct handed	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination 11-03-2022	If suspended from work state period of suspension with detailed reasons	Rectified fit to resume duty on with signature of Certifying Surgeon	If certificate of un fitness or suspension issued to worker	Signature With Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
101	055	MS. HEMANGI PIMPLE	F	36	2020	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
102	058	MS. DEEPA YADAV	F	27	2020	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
103	203	MS. SAYALI BARDE	F	22	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
104	042	MS. POOJA WAGHMARE	F	29	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
105	033	MS. SNEHAL MHASKE	F	25	2018	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
106	276	MR. CHANDRAPAL	M	50	2019	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
107	264	MR. YOGENDRA SINGH	M	38	2018	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
108	070	MR. NIRBHAY SHUKLA	M	40	2008	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
109	075	MR. RAMVILAS DINKAR	M	52	2001	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
110	178	MR. SUBHASH C. YADAV	M	26	2020	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
111	129	MR. SHIVPRakash T. YADAV	M	34	2016	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
112	024	MR. ABHISHEK KR. SINGH	M	28	2016	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
113	156	MR. DANISH DESHPANDE	M	28	2022	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
114	259	MR. RAKESH YADAV	M	25	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
115	249	MR. DEEPAK RAJBHAR	M	25	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
116	113	MR. SANIA MAJHI	M	44	2014	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
117	238	MR. RAM CHANDER	M	40	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
118	261	MR. RAMCHET YADAV	M	45	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
119	252	MR. PAPPU KUMAR	M	27	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
120	262	MR. AJAY KUMAR GOND	M	25	2020	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	

SO. = Sodium Saccharin
CA. = Caustic soda

कार्यग्रन्थे अधिकारियम १९८८ वा कल्या १७३) प्राप्त आवश्यकता निर्देशनानुसार वर्तमान समयात वर्तमान समयात वर्तमान समयात

५. AGS 23 VEN 2016

Name of certifying Surgeon
Dr. Uttam R. Babar

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

FORM NO. 7
{Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:	
To:	

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sl No	Works No.	Name of Worker	Sex	Age	Date of employment or present work	Date of leaving or Transfer to other work	Reason for leaving / Transfer discharge	Nature of job or Occupation	Raw Material or Byproduct handed	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination	If suspended from work state period of suspension with detailed reasons	Rectified fit to resume duty on with signature of Certifying Surgeon	If certificate of un fitness or suspension issued to worker	Signature With Date of Certifying Surgeon
										11-03-2022				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
121	221	MR. DHANANJAY KUMAR	M	22	2021	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
122	245	MR. SURAJ PRAJAPATI	M	21	2021	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
123	251	MR. VIKAS R. RAJBHAR	M	21	2021	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
124	197	MR. AKASH A. DALAL	M	24	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
125	201	MR. PAWANKUMAR YADAV	M	27	2021	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
126	231	MR. DHARMENDRA MOURYA	M	32	2021	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
127	009	MR. SANTOSH YADAV	M	36	2009	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
128	214	MR. NIRAJSINGH CHAUHAN	M	39	2020	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
129	202	MR. DEEPAK CHAUDHARI	M	23	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
130	023	MR. SAMADHAN BHAMARE	M	29	2015	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
131	035	MR. SWAPNIL PAWAR	M	26	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
132	034	MR. VIVEK PANDEY	M	29	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
133	031	MR. ATULKUMAR CHAURASIYA	M	29	2018	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
134	049	MR. SUBHASH KARAPE	M	26	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
135	107	MR. ARUN KUMAR SAHI	M	39	2010	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
136	159	MS. POOJA JHA	F	23	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
137	036	MS. KANCHAN SAHANI	F	26	2019	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
138	260	MR. UMESSHYADAV	M	20	2021	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	

SO. = Sodium Sacchinn
CA. =Caustic soda

कारब्रेन डिपोलियन १९५ द्वा कर्तम १७८ प्राप्ति
पालत विद्युतीय प्रभाव उत्पादन विकास कंपनी

फ. ACS 35 अग 2016

Name of certifying Surgeon
Dr. Uttam R. Babar

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

FORM NO. 7
 {Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:	
To:	

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sr No	Works No.	Name of Worker	Sex	Age	Date of employment of present work	Date of leaving or Transfer to other work	Reason for leaving /Transfer discharge	Nature of job or Occupation	Raw Material or Byproduct handled	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination 22-03-2022	If suspended from work state period of suspension with detailed reasons	Rectified fit to resume duty on with signature of Certifying Surgeon	If certificate of un fitness issued to worker	Signature With Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	143	MR. MANISH KUMAR	M	37	2019	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
2	86	MR. KUMBHAHADUR A. GAHAA	M	42	2004	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
3	213	MR. RAJKUMAR PASWAN	M	22	2019	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
4	123	MR. RAHUL KUMAR DINKAR	M	26	2015	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
5	219	MR. VIKRAM S. CHAUHAN	M	20	2020	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
6	94	MR. SUNIL S. RAI	M	48	2000	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
7	235	MR. RAVINDRA S. BARI	M	50	2019	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
8	71	MR. DINESHCHANDRA TIWARI	M	53	2000	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
9	76	MR. SANTOSH P. SHARMA	M	40	2000	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
10	97	MR. MAINBAHADUR YADAV	M	34	2007	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
11	255	MR. BHAVIK R. PATIL	M	29	2021	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
12	220	MR. SHIVPURIAN SINGH	M	36	2019	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
13	77	MR. RANAPRATAP SHARMA	M	36	2005	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
14	29	MS. NILAM G. ADKHALE	F	28	2018	N. A.	N. A.	Staff	Nil	Fit	No	N. A.	N. A.	
15	37	MS. SWATI PUJARI	F	27	2019	N. A.	N. A.	Staff	Nil	Fit	No	N. A.	N. A.	
16	68	MS. PRITI GIRI	F	24	2021	N. A.	N. A.	Staff	Nil	Fit	No	N. A.	N. A.	
17	246	MR. SUNIL R. YADAV	M	26	2020	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
18	236	MR. HITESH V. PAGDHARE	M	36	2020	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
19	216	MR. AKHILESH SHARMA	M	39	2020	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	
20	247	MR. SUNIL KUMAR	M	39	2021	N. A.	N. A.	Worker	SO.,CA.	Fit	No	N. A.	N. A.	

SO. = Sodium Saccharin
CA. =Caustic soda

काशी राज्य वित्त विभाग
काशी वित्त विभाग के सभी संस्थानों के लिए इसका उपयोग अनुमति दिया गया है।

काशी वित्त विभाग
काशी वित्त विभाग के सभी संस्थानों के लिए इसका उपयोग अनुमति दिया गया है।

Name of certifying Surgeon
Dr. Uttam R. Babar

FORM NO. 7
{Prescribed under Rule 18 (7)}

HEALTH REGISTER

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sr No	Works No.	Name of Worker	Sex	Age	Date of employment of present work	Date of Leaving or Transfer to other work	Reason for leaving /Transfer or discharge	Nature of job or Occupation handled	Raw Material or Byproduct handled	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination	If suspended from work state period of suspension with detailed reasons	Rectified fit to resume duty on with signature of Certifying Surgeon	If certificate of un fitness issued to worker	Signature of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	22-03-2022	12	13	14	15
21	281	MR. DHANANJAY K. YADAV	M	22	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
22	275	MR. VIKRAM KR. CHAUDHARI	M	35	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
23	270	MR. RAJU YADAV	M	24	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
24	119	MR. NANHELLAL. SHARMA	M	40	2014	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
25	277	MR. AMARKANT UPADHYAY	M	22	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
26	243	MR. TRILOKI YADAV	M	40	2019	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
27	272	MR. SHIVKUMAR SHAH	M	19	2022	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
28	110	MR. MAHENDRA YADAV	M	46	2012	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
29	175	MR. JAYPRAKASH S. YADAV	M	32	2020	N.A.	N.A.	Driver	Nil	Fit	No	N.A.	N.A.	
30	256	MR. VIKAS KUMAR SAROJ	M	23	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
31	253	MR. SANJAY SAROJ	M	23	2021	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
32	73	MR. LALJI R. YADAV	M	40	2001	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
33	266	MR. SAMARNATH YADAV	M	23	2019	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
34	160	MS. PRAMILA MULIK	F	28	2020	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
35	01	MR. AVINASH A. RAUT	M	52	2000	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
36	115	MR. SUNIL YADAV	M	27	2014	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
37	215	MR. KAILASHKUMAR SAH	M	25	2020	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
38	83	MR. AMARJEET S. PASWAN	M	36	2003	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
39	101	MR. PREM OM BAHADUR THAPA	M	32	2010	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	
40	217	MR. RAJENDRA MAJHI	M	30	2020	N.A.	N.A.	Worker	SO.,CA.	Fit	No	N.A.	N.A.	

SO. = Sodium Sacchini

CA. = Caustic soda

J

Name of certifying Surgeon
Dr.Uttam R.Babar

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

FORM NO. 7
{Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:
To:

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sr No	Works No.	Name of Worker	Sex	Age	Date of employment or present work	Date of Leaving or Transfer to other work	Reason for leaving / Transfer discharge	Nature of job or Occupation handled	Raw Material or Byproduct handled	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination 22-03-2022	If suspended from work state period of suspension with detailed reasons	Rectified fit to resume duty on with signature of Certifying Surgeon	If certificate of un fitness or suspension issued to worker	Signature of Certifying Surgeon With Date
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
41	108	MR. DEEPAK SINGH	M	36	2011	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
42	114	MR. PRAVIN KUMAR PANDEY	M	52	2013	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
43	180	MR. CHANDAN JHA	M	29	2020	N.A.	N.A.	Security	Nil	Fit		No	N.A.	N.A.
44	74	MR. TEKBADUR KHATRI	M	46	2000	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
45	117	MR. ALPESH J. DALVI	M	45	2015	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
46	60	MR. ALPESH SANKHE	M	29	2020	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
47	105	MR. DILEEPKUMAR SINGH	M	40	2012	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
48	82	MR. INDRADEV DINKAR	M	46	2000	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
49	39	MR. VIJAY WARADE	M	29	2019	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
50	61	MR. ROSHAN JHA	M	32	2021	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
51	193	MR. AKASH GUPTA	M	26	2019	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
52	195	MR. VISHAL PATIL	M	26	2021	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
53	64	MR. VAIBHAV TAMORE	M	28	2020	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
54	109	MR. SANJAY KUMARTIWARI	M	44	2010	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
55	196	MR. MAHESH KUMAR	M	25	2021	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
56	258	MR. BHOLANATH YADAV	M	25	2020	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
57	134	MR. MANISH RAI	M	23	2017	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
58	248	MR. BAJRANGI PAL	M	39	2020	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
59	206	MR. ABHISHEK SHARMA	M	24	2021	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
60	271	MR. DEVENDRA KUMAR	M	27	2021	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.

SO. = Sodium Sacchinate
 CA. =Caustic soda

कारबोन अमीन और जू कला १०(३) अनुमय
 विभाग नियंत्रण विभाग संगठन अधिकारी विभाग

S. ACS 15/4/2022/15

Name of certifying Surgeon

Dr. Uttam R. Babar

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

FORM NO. 7
{Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:	
To:	

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sr No	Works No.	Name of Worker	Sex	Age	Date of employment or present work	Date of Leaving or Transfer to other work	Reason for leaving /Transfer discharge	Nature of job or occupation	Raw Material or Byproduct handled	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination 22-03-2022	If suspended from work state period of suspension with detailed reasons	Rectified fit to resume duty on with signature of Certifying Surgeon	If certificate of un fitness or suspension issued to worker	Signature With Date of Certifying Surgeon
1	2	3		4	5	6	7	8	9	10	11	12	13	14
61	222	MR. MAHENDRA YADAV	M	22	2020	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
62	282	MR. RAHUL HINGE	M	25	2022	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
63	179	MR. AJAY YADAV	M	29	2019	N.A.	N.A.	Driver	Nil	Fit		No	N.A.	N.A.
64	51	MR. AJEET PHATAK	M	41	2019	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
65	02	MR. SURESH B. SINGH	M	57	2000	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
66	257	MR. ANIL JHA	M	46	2021	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
67	218	MR. RAJESH M. VALMIKI	M	42	2021	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
68	267	MR. SOHAN KUMAR	M	26	2020	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
69	283	MR. ANIL KUMAR YADAV	M	34	2019	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
70	122	MR. CHANDRADEV PRASAD	M	34	2014	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
71	121	MR. CHANDRAKAMAL SHARMA	M	28	2014	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
72	45	MR. PAWAN RAI	M	38	2020	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
73	273	MR. SUNIL B. PATIL	M	49	2022	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
74	56	MR. SANDEEP JAMDHADE	M	47	2020	N.A.	N.A.	Staff	Nil	Fit		No	N.A.	N.A.
75	284	MR. RAMPRakash YADAV	M	30	2022	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
76	98	MR. NILESH B. PATIL	M	43	2009	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
77	227	MR. BHAVESH M. NIJAI	M	32	2021	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
78	230	MR. RAHUL KUSHWAHA	M	24	2021	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
79	104	MR. JEETMAN H. THAPA	M	48	2002	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.
80	118	MR. RAJKAMAL SHARMA	M	30	2013	N.A.	N.A.	Worker	SO.,CA.	Fit		No	N.A.	N.A.

SO. = Sodium Saccharin

CA. =Caustic soda

Name of certifying Surgeon
Dr. Uttam R. Babar

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

FORM NO. 7
{Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:	
To:	

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sr No	Work s No.	Name of Worker	Sex	Age	Date of employment of present work	Date of Leaving or Transfer to other work	Reason for leaving / Transfer discharge	Nature of job or Occupation handled	Raw Material or Byproduct handled	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination 22-03-2022	If suspended from work state period of suspension with detailed reasons	Recertified fit to resume duty on with signature of Certifying Surgeon	If certificate of un fitness or suspension issued to worker	Signature With Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
81	185	MR. NARESH GABHALE	M	28	2021	N.A.	N.A.	Security	Nil	Fit	No	N.A.	N.A.	
82	190	MR. VISHAL KOKARE	M	22	2022	N.A.	N.A.	Security	Nil	Fit	No	N.A.	N.A.	
83	96	MR. AVINASH P. PAWAR	M	36	2007	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
84	87	MR. VIRENDRA YADAV	M	37	2004	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
85	149	MR. AKSHAY NIKUMBH	M	26	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
86	16	MR. NIKHIL PATIL	M	31	2011	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
87	268	MR. ANILKUMAR C. DAS	M	38	2018	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
88	100	MR. KIRAN A. MULIK	M	32	2009	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
89	84	MR. AYODHYA GUPTA	M	37	2004	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
90	79	MR. NITIN KAMBLI	M	36	2004	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
91	151	MR. ANIKET PANCHPATKAR	M	29	2021	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
92	93	MR. DINESH K. PATIL	M	32	2007	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
93	57	MR. ASHISH DALVI	M	33	2020	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
94	63	MR. DINESH KHADAKE	M	28	2020	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
95	173	MR. MANGESH MHATRE	M	40	2022	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
96	146	MR. SAGAR DESALE	M	23	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
97	80	MR. SURYAPRAKASH SINGH	M	54	2002	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
98	233	MR. MONOO YADAV	M	26	2022	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
99	142	MS. PRATIMA CHAUBEY	F	38	2014	N.A.	N.A.	Worker	SO,,CA.	Fit	No	N.A.	N.A.	
100	187	MR. SHYAMSUNDAR CHAUBEY	M	34	2019	N.A.	N.A.	Security	Nil	Fit	No	N.A.	N.A.	

S.O. = Sodium Saccharin
C.A. = Caustic soda

मराठवाडे ज्ञानीकरण इंसिटिउट चयन केंद्र १०१ वडोदरा
परिषद सेवायांत्रिक अभियान समिति द्वारा

५. ८८३ ३१६२३०१६

Name of certifying Surgeon
Dr. Uttam R. Babar

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

FORM NO. 7
{Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:										
To:										

Sr. No.	Work s No.	Name of Worker	Sex	Age	Date of employment of present work	Date of Leaving or Transfer to other work	Reason for leaving / Transfer or discharge	Nature of job or Occupation handled	Raw Material or Byproduct handled	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination 22-03-2022	If suspended from work state period of suspension with detailed reasons	Rectified fit to resume duty on with signature of Certifying Surgeon	If certificate of un fitness or suspension issued to worker	Signature of un fitness or suspension Issued to Surgeon	With Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
101	208	MR. SANAJI SINGH YADAV	M	25	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
102	210	MR. NEERAJ YADAV	M	23	2022	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.		
103	153	MR. UDDESH MOHITE	M	23	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
104	204	MR. PRAKASH KODALKAR	M	24	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
105	30	MR. KUNDAN MAHAJAN	M	27	2018	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
106	189	MR. NARESH LOKHANDE	M	33	2022	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
107	163	MR. AMOL JEDHE	M	28	2021	N.A.	N.A.	Security	Nil	Fit	No	N.A.	N.A.		
108	171	MR. AMAN MURAD	M	27	2022	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
109	92	MR. SANTOSH S. SHARMA	M	28	2007	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.		
110	164	MR. SAURAV SONAWANE	M	23	2021	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.		
111	285	MR. VIRAJ KATELA	M	19	2021	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.		

SO. = Sodium Saccharin
CA. = Caustic soda

प्रीति लाल

कानूनी अधिकारी १९८८ च्या कलम १०७) मुळाते
प्राविष्ट लिंगानीसाठी शास्त्रीय प्राविष्ट शास्त्रीय लिंगानी

क्र. ACS ३०/४/२०१६

Name of certifying Surgeon
Dr. Uttam R. Babar

{In respect of persons employed in occupations declared to be dangerous operations under Section 87}

FORM NO. 7
{Prescribed under Rule 18 (7)}
HEALTH REGISTER

From:
To:

RAMDEV CHEMICAL PVT.LTD. M.I.D.C., TARAPUR

Sr No	Works	Name of Worker	Sex	Age	Date of employment of present work	Date of leaving or Transfer to other work	Reason for leaving / Transfer discharge	Nature of job or Occupation handled	Raw Material or Byproduct handled	Date of Medical Examination by Certifying Surgeon & Result of Medical Examination	If suspended from work state period of suspension with detailed reasons	Rectified fit or resume duty or with signature of Certifying Surgeon	If certificate of unfitness issued to worker	Signature With Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	03	MR. DHARMENDRA SHARMA	M	50	2000	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
2	25	MS. PRATIMA MISHRA	F	25	2016	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
3	32	MR. MANUJESH TIWARI	M	29	2018	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
4	90	MR. DHARMENDRAKUMAR SINGH	M	37	2004	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
5	139	MR. ANKIT SINGH	M	21	2020	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
6	141	MS. LAXMI A. MORE	F	42	2014	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
7	147	MR. VAIBHAV CHANDGUDE	M	25	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
8	152	MR. RUPESH BANJARA	M	44	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
9	155	MS. ANKEETA DUBEY	F	27	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
10	161	MR. SANKET MADANE	M	28	2021	N.A.	N.A.	Staff	Nil	Fit	No	N.A.	N.A.	
11	194	MR. SANDEEP RAJBHAR	M	27	2019	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
12	232	MR. NILESH C. GOVARI	M	27	2019	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
13	286	MR. NAGENDRA V. PAL	M	26	2022	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	
14	287	MR. RAKESHKUMAR A. YADAV	M	25	2022	N.A.	N.A.	Worker	SO,CA.	Fit	No	N.A.	N.A.	

SO. = Sodium Saccharin
 CA. =Caustic soda

कागजाने अधिकारीया १६४८ द्वा क्रमस १०२) प्रभावो
 पात्रपत्र दिलेहनदीना शास्त्रीयतमानक शास्त्रीयिक्त्वा
 फ. अ.स. ३५.५७/२०१६

YR Babar

Annexure - VII



Towards sustainable growth

Mumbai Waste Management Limited

Certificate

M/S Ramdev Chemical Pvt. Ltd.

is a registered member of

CHW-TSDF at MIDC, Taloja

for safe & secure disposal of

Hazardous Waste.

Membership no.: MWML - HzW TAR - 465

This Certificate is valid up to

31st March 2023

A handwritten signature in black ink, appearing to read "Onkar A. Kulkarni".

Onkar A. Kulkarni
Manager - MBD

A handwritten signature in black ink, appearing to read "Somnath Malgar".

Somnath Malgar
Director

An ISO 9001:2015, ISO 14001 : 2015 & ISO 45001 : 2018 Certified Company

MWML Laboratory is accredited by NABL and Approved by MoEF

Report of Mock drill conducted on 12th Sep 2022 at RCPL (QC Lab)

Scenario:

N2 Gas is leaked at the time of GC Operation. Gas were accumulate in GC room.

15:30 pm:

Mr.Mahajan Chemist observed in GC room Mr.Patil was fall on floor. N2 gas are accumulated inside GC room. Mr.Mahajan had face-breathing problemwhen he open the door. Mr.Abbishek also present near QC Office area. Then he shouted for emergency. Simultaneously he sent messenger to informed the warehouse Incharge Mr.Suresh Singh.

15:32 pm:

Incident controller Mr. Suresh Singh received message through messenger about emergency in GC Room. Immediately he rushed to the incident site.

Looking at the situation he informed to Mr.Haribhau to evacuate the site.

15:33pm:

Mr.Haribhau informed main gate about the incident.

15.34 pm:

Mr. Jadhav & Mr. Singh security guard informed to site controller Mr.Paresh Desai and AGM-HR Mr. Santosh Sankhe.Mr. Sankhe Organized Emergency vehicle for medical help.

15:35 pm:

Emergency team members controlled this leakage under the guidance of incident controller with the help of SCBA Set.

15:36 pm:

First aid team immediately give first aid to Mr.patil

15:37 pm:

Response form Manager- production Mr.Ravi Pandey is recorded at main gate.

15:38pm:

Mr.Haribhau received the report of head count.

15.40 pm

Mr. Haribhaut sent messenger on main gate for all clear

A meeting was held on the spot to study the observations and take corrective and Preventive action.

Positive Observations :

- 1) Emergency team performance was highly appreciated. Especially during the use of spill absorbent kit to contain the spilled material.,
- 2) Head count procedure was good and correct
- 3) Time of performance was 10 min
- 4) Seriousness of mock drill should be maintained at all the time.
- 5) Ambulance (Emergency Vehicle) reached at time.




RAMDEV CHEMICAL PVT. LTD.
Mock Drill Reports

Opportunity for Improvement :

- 1) O2 detector required in GC Room to identify the N2 Gas leakage.
- 2) Emergency Exit should be Clear
- 3) ELBA Set required in QC



RAMDEV CHEMICAL PVT.LTD.
EHS DEPARTMENT ORGANOGRAM



Annexure - X

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

CIN : U73100MH2020PTC3470

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad – 431 136. ☎ 0240-6641879 ✆ 9970429991 / 7745069991
 Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT AIRMONITORING REPORT

ULR: TC980722000008537P

Client's Name & Address	Report ID.	EEL/ABD/A-849/09/2022-23
M/s.RAMDEV CHEMICALS PVT.LTD.PLOT NO. E-41,128/2 & 129 MIDC TARAPUR Tal and Dist:- PALGHAR.	Date of Reporting	06/10/2022

SAMPLING DETAILS

01) Discipline	Chemical	
02) Group	Atmospheric Pollution	
03) Location of Sampling	Near Main Gate	
04) Sampling Procedure	IS 5182 Part 5	
05) Sample Status (Sealed/Unsealed)	Sealed	
06) Sample Collected By	M/s. Excellent Enviro Laboratory & Research Center Pvt.Ltd.	
07) Date of Sampling	27/09/2022 to 28/09/2022	
08) Time of Sampling & Sampling Duration	From : 11:02 AM of 27/09/2022 to 11:02 AM of 28/09/2022 (24hrs)	
09) Date of Received in Lab	29/09/2022	
10) Analysis Start Date	29/09/2022	
11) Ambient Temperature	30°C	
12) Dry Bulb Temperature	30°C	
13) Wet Bulb Temperature	28°C	
14) Relative Humidity	54%	
15) Instrument Details	Make/ Model No.	AshaEnviro /AEE/APM500
	Serial No.	EELRC/EQ/AFD/61
	Calibration Date	Calibration on:26/04/2022, Due On:25/04/2023

RESULT

Sr. No.	Parameter	UOM	Results	NAAQ Standards	Standard Method
1	Ammonia (NH ₃)	µg/m ³	18.2	≤ 400	Method 401 Air sampling and Analysis 3 rd Edition
2	Carbon Monoxide (CO)	mg/m ³	0.04	≤ 04	GC FID Methanizer Method
3	Ozone (O ₃)	µg/m ³	10.2	≤ 180	Method 411 Air sampling and Analysis 3 rd Edition
4	Lead (Pb)	µg/m ³	<0.01	≤ 1.0	APHA 3120 B
5	Arsenic (As)	ng/ m ³	<0.01	≤ 06	APHA 3120 B
6	Nickel (Ni)	ng/ m ³	<0.01	≤ 20	APHA 3120 B
7	Benzene (C ₆ H ₆)	µg/m ³	<0.01	≤ 05	IS5182 Part 11:2006
8	Benzo (a) Pyrene	ng/ m ³	<0.001	≤ 01	IS 5182 Part 12:2004

UOM – Unit of Measurement

Remark: - All above results are within National Ambient Air Quality Standards Notification dtd November 18, 2009.

Reviewed By


 (Mr. Prashant Patil)
 (Asst. Technical Manager)

Authorized Signatory


 (Ms. Dharmashila Narwade)
 (Dy. Technical Manager)

*****End of Report*****

page 1 of 1

Note—"The results pertain to tested portion of sample"

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,
 Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2022)

MUMBAI OFFICE : Dhawalgiri Co-op, Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 ☎ 086526

Email : mumbaisales@excellentenviro.com

PUNE OFFICE : Gut No. 1252, Tuljai Nagar, Behind Gharkul Building, No. C-11, Spine Road, Newale Wasti Chikhali, Pune - 411062 ☎ 09767

Email : punesales@excellentenviro.com

Annexure - XI



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2022

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000042321

Submitted Date

08-06-2022

PART A

Company Information

Company Name
RAMDEV CHEMICAL PVT.LTD

Application UAN number
MPCB-CONSENT-0000027088

Address

PLOT NO.E-41,E-129 & E-128/2 ,
MIDC , TARAPUR

Plot no
PLOT NO.E-41& E-129, MIDC ,
TARAPUR

Taluka
PALGHAR

Village
MIDC TARAPUR

Capital Investment (In lakhs)
7464.00

Scale
L.S.I

City
PALGHAR

Pincode
401506

Person Name
MR.PABITRA KUMAR BHATTACHARYA

Designation
DIRECTOR

Telephone Number
02525661046

Fax Number

Email
sandeep.jamdhade@ramdev.ipca.com

Region
SRO-Tarapur I

Industry Category
Red

Industry Type
R58 Pharmaceuticals

Last Environmental statement submitted online
yes

Consent Number
Format 1.0/CC/UAN
NO.0000102914/CO2108000987

Consent Issue Date

2021-08-18

Consent Valid Upto
31/10/2022

Establishment Year
1999

Date of last environment statement submitted
Jun 18 2021 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

Benzocaine

Consent Quantity

120

Actual Quantity

28.18

UOM

MT/A

Piraxicam

120

15.76

MT/A

6 Chloro 2 Oxindol

24

3.91

MT/A

Mirtazapine

12

0.390

MT/A

Methyl Benzothiazine isopropyl Ester

96

36.20

MT/A

Celecoxib INT

120

7.14

MT/A

Ziprasidone INT	36	0	MT/A
Metaxalone INT	36	1.52	MT/A
Meloxicam INT	129.48	0	MT/A
Entacapone	12	2.61	MT/A
Hydroxy Chloroquine Sulphate	36	1.87	MT/A
Propranolol HCL	60	0	MT/A
Hydroxyzine Pamoate	6	0.35	MT/A
Sodium Barbital	36	3.21	MT/A
RBX (Trioxolane methyl Ester)	3.6	0.09	MT/A
4 TBD	60	2.85	MT/A
3,4 Dihydroxy 5 Nitro Benzaldehyde	24	0.18	MT/A
3-Piperazinyl-1,2-Benzisothiazole HCL	12	2.79	MT/A

By-product Information

By Product Name	Consent Quantity	Actual Quantity	UOM
--NA--	0	0	MT/A

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
Cooling	33	13.00
Domestic	124.5	48.00
All others	6.3	3.50
Total	20	8.00
	183.8	72.50

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
TRADE EFFLUENT	65.17	15.2	CMD
DOMESTIC EFFLUENT	5.67	4.8	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Pharmaceuticals (excluding formulation)	1.12	1.14	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Sodium saccharine	1.82	1.96	Kg/Annum
Di methyl formamide	1.07	1.04	Kg/Annum
Iso propyl chloro acetate	1.35	1.50	Kg/Annum
Soda Ash	1.6	0.07	Kg/Annum
Di methyl Sulphate	1.47	0.70	Kg/Annum

Sodium metal	0.42	0.45	Kg/Annum
2 Amino pyridine	0.39	0.53	Kg/Annum
Methylene Di chloride	7.3	10.99	Kg/Annum
Ethyl Acetate	8.75	78.61	Kg/Annum
Tri fluro acetic acid	11.6	17.40	Kg/Annum
Sodium Nitrite	1.23	44.61	Kg/Annum
IPA + HCL	1.75	18	Kg/Annum
3-Chloro-1,2-benziso thiazole	0.97	14.87	Kg/Annum
Piperazine anhydrous	2.64	28.90	Kg/Annum
Tertiary butanol	0.86	11.51	Kg/Annum
Para Amino Benzoic acid	0.80	1.57	Kg/Annum
Toluene	1.9	5.53	Kg/Annum
Aluminium Chloride Anhydrous	3.91	0.51	Kg/Annum
Chloro Acetyl Chloride	1.45	1.85	Kg/Annum
Triglycidyl Isocyanurate	0.01	0.82	Kg/Annum
3,5 - Xylenol	1.02	0.79	Kg/Annum
Caustic Potash	0.13	0.02	Kg/Annum
Ortho Xylene	1.4	10.28	Kg/Annum
Methanol	21.4	26.18	Kg/Annum
Iso Propyl Alcohol	5.4	15.33	Kg/Annum
Hyflow	0.57	0.10	Kg/Annum
Activated Carbon	0.14	0.12	Kg/Annum
4-Amino Benzene sulfonamide	2.07	1.70	Kg/Annum
Liquar Amonia	6.5	3.44	Kg/Annum
Hydrochloric Acid	9.98	6.14	Kg/Annum
Nitric Acid	2.60	0.12	Kg/Annum
Sodium bi sulphite	4.04	1.69	Kg/Annum

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
COAL	735840	725883	Kg/Annum
LDL	12614	0	Kg/Annum
FO	254040	300	Ltr/A

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
PH	0	0	0	5.5 - 9.0	ZLD PLANT
COD	0	0	0	0	ZLD PLANT

BOD	0	0	0	100 mg / l	ZLD PLANT
SS	0	0	0	100 mg / l	ZLD PLANT
OIL & GREASE	0	0	0	10 mg / l	ZLD PLANT
TDS	0	0	0	2100 mg / l	ZLD PLANT
CHLORIDE	0	0	0	600 mg / l	ZLD PLANT
SULPHATE	0	0	0	1000 mg / l	LD PLANT

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons	Standard	Reason
	Quantity	Concentration	%variation		
SPM / TPM	0	41.8	0	150 mg / nm3	NA
SO2 (BOILER)	2.6	0	0	20.16Kg / DAY	NA

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
20.3 Distillation residues	32.18	32.84	MT/A
28.1 Process Residue and wastes	32.67	58.16	MT/A
28.4 Off specification products	0	0	MT/A
28.3 Spent carbon	5.31	4.98	MT/A
28.6 Spent organic solvents	476.04	233	MT/A
36.2 Spent carbon or filter medium	7.19	0	MT/A
37.1 Sludge from wet scrubbers	1.5	8.3	MT/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
35.3 Chemical sludge from waste water treatment	34.21	42.29	MT/A
35.1 Exhaust Air or Gas cleaning residue	7.32	10.24	MT/A

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Plastic waste	37.53	32.51	MT/A
Empty barrels & Containers	360	775	Nos./Y

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
NA	0	0	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
20.3 Distillation residues	32.84	MT/A	CHWTSDF , TALOJA
28.3 Spent carbon	4.98	MT/A	CHWTSDF , TALOJA
35.3 Chemical sludge from waste water treatment	42.29	MT/A	CHWTSDF , TALOJA
28.1 Process Residue and wastes	58.16	MT/A	CHWTSDF , TALOJA
28.6 Spent organic solvents	233	MT/A	Authorised recycler
35.1 Exhaust Air or Gas cleaning residue	10.24	MT/A	CHWTSDF , TALOJA
36.2 Spent carbon or filter medium	0	MT/A	CHWTSDF , TALOJA
37.1 Sludge from wet scrubbers	8.3	MT/A	CHWTSDF , TALOJA
15.2 Discarded asbestos	3.42	MT/A	CHWTSDF , TALOJA

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
NA	0	MT/A	NA

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
E.T.P Operation cost , Cost of consumables , cost of analysis of effluent , electrical energy , environment audit , statement report , water supply , house keeping	0	0	0	0	0	0

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
At presnt the existing enviornment protection system are considered to adequate. For treatment of waste water. company has provided effluent treatment plant	Oil separator tank, equalization tank , aeration tank, sand & carbon filtres , drying bed for sludge , storage tanks and MEE & RO provided to achieve ZLD	313
Installation of Continous online monitoring system along with web camera & flow meter & connectivity given to MPCB & CPCB Server	Continous monitoring of Effluent parameters	9.76

[B] Investment Proposed for next Year	Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Rain water harvesting & poly house to be installed		Natural resources conservation	20
Replace ment of membrane cushion of RO Plant to increase the Permit ratio		Natural resources conservation	15
Quaterly Calendria cleaning of MEE Plant to increase the efficiency of MEE to trateting the High COD effluent		Natural resources conservation	1.20
Quaterly ETP tank Sludge removing & cleaning		Natural resources conservation	0.50

Part-I

Any other particulars for improving the quality of the environment.

Particulars :

Environment and safety aspects is of prime importance and is incorporated at the design and energy aspects of partition.The storage terminal is followed and latest and up to date features for the equipment and personnel as also for the surrounding environment. The important features of environment and safety with respect to the terminal is being examined. The green drive is major contribution to create environment clean & healthy.due to this environmental balanced achieved.

Name & Designation

Mr. Pabitra kumar Bhattacharya

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000042321

Submitted On:

08-06-2022